Brain Research, 403 (1987) 409–411
Elsevier

Author Index

Ableitner, A. and Herz, A., Influence of meprobamate and phenobarbital upon local cerebral glucose utilization: parallelism with effects on the anxiolytic diazepam, 82
Aimone, L.D. and Gebhart, G.F., Spinal monoamine mediation of stimulation-produced antinociception from the lateral hypothalamus, 290
Axt, K.J., see Commins, D.L., 7
Ayoub, G.S., see Malenka, R.C., 198

Badillo, S., see Calvo, J.M., 22
Baldessarini, R.J., see Campbell, A., 393
Batini, C., Daniel, H. and Ramirez, R.D., Release of cerebellar inhibitory activity by partial destruction of the inferior olive with kainic acid in rat, 186
Becker, W.J., see Hayashi, R., 341
Bellin, S.I., Bhatnagar, R.K. and Johnson, A.K., Periventricular noradrenergic systems are critical for angiontensin-induced drinking and blood pressure responses, 105
Bendo, A.A., Kass, I.S. and Cottrell, J.E., Anesthetic protection against anoxic damage in the rat hippocampal slice, 136
Besson, J.M., see Rivot, J.P., 142
Bhatnagar, R.K., see Bellin, S.I., 105
Biemann, K., see Krueger, J.M., 249
Biemann, K., see Krueger, J.M., 258
Blakemore, W.F., Duncan, I.D. and Hammang, J.P., Node-like axonal undercoating in the optic nerve of heterozygous myelin-deficient rats, 361
Bottiglieri, D.F., Sumners, C. and Raizada, M.K., Angiotensin II inhibits K^+-evoked release of [^{3}H]norepinephrine from hypothalamic synaptosomes of the spontaneously hypertensive rat, 167
Brismar, J., see Sahlin, C., 313
Burks, D., see Gall, C., 403
Burnstock, G., see Pittam, B.S., 267
Busija,, D.W. and Leffler, C.W., Eicosanoid synthesis elicited by norepinephrine in piglet parietal cortex, 243

Calvino, B., see Rivot, J.P., 142
Calvo, J.M., Badillo, S., Morales-Ramirez, M. and Palacios-Salas, P., The role of the temporal lobe amygdala in ponto-geniculo-occipital activity and sleep organization in cats, 22
Campbell, A., Baldessarini, R.J., Kula, N.S., Ram, V.J. and Neumeyer, J.L., S(+)Methylenedioxy-N-*n*-propylnoraporphine: an orally active inhibitor of dopamine selective for rat limbic system, 393
Campbell, G.S., see Haroutunian, V., 234
Catelli, J.M., Giakas, W.J. and Sved, A.F., GABAergic mechanisms in nucleus tractus solitarius alter blood pressure and vasopressin release, 279
Celio, M.R., see Magistretti, P.J., 181
Chang, F.-L.F., see Loeb, E.P., 113
Choi, D.W., Dextrorphan and dextrometorphan attenuate glutamate neurotoxicity, 333
Chung, R.Y., Mason, P., Strassman, A. and Maciewicz, R., Suppression of the jaw-opening reflex by periaqueductal gray stimulation is decreased by paramedian brainstem lesions, 172
Church, M.W. and Shucard, D.W., Pentobarbital-induced changes in the mouse brainstem auditory evoked potential as a function of click repetition rate and time postdrug, 72
Commins, D.K., Axt, K.J., Vosmer, G. and Seiden, L.S., 5,6-Dihydroxytryptamine, a serotonergic neurotoxin, is formed endogenously in the rat brain, 7
Corcoran, M.E., see Lewis, J., 205
Cottrell, J.E., see Bendo, A.A., 136

Daniel, H., see Batini, C., 186
Davenne, D., see Krueger, J.M., 249
Davenne, D., see Krueger, J.M., 258
Davis, K.L., see Haroutunian, V., 234
De Kloet, E.R., see Joëls, M., 192
DeLanney, L.E., see Ricaurte, G.A., 43
Delgado, T., see Sahlin, C., 313
Duggan, A.W., Morton, C.R., Zhao, Z.Q. and Hendry, I.A., Noxious heating of the skin releases immunoreactive substance P in the substantia gelatinosa of the cat: a study with antibody microphobes, 345
Duncan, I.D., see Blakemore, W.F., 361

Earnst, D.J., see Keefe, D.L., 308
Errico, P., see Pettorossi, V.E., 58

Fedeli, R., see Pettorossi, V.E., 58
Ferraresi, A., see Pettorossi, V.E., 58
Fifková, E., see Scheetz, A.J., 151
Forno, L.S., see Ricaurte, G.A., 43
Fujii, N., see Oku, R., 350

Gall, C., Lauterborn, J., Burks, D. and Seroogy, K., Co-localization of enkephalin and cholecystokinin in discrete areas of rat brain, 403
Galloway, P.G., Perry, G., Kosik, K.S. and Gambetti, P., Hirano bodies contain tau protein, 337
Gambetti, P., see Galloway, P.G., 337
Gebhart, G.F., see Aimone, L.D., 290
Gaikas, W.J., see Catelli, J.M., 279
Giovino, A.A., see Glimcher, P.W., 147
Glaum, S., see Yanik, G., 177
Glimcher, P.W., Giovino, A.A. and Hoebel, B.G., Neurotensin self-injection in the ventral tegmental area, 147
Greenough, W.T., see Loeb, E.P., 113
Grimm-Jørgensen, Y., Somatostatin and calcitonin stimulate neurite regeneration of molluscan neurons in vitro, 121
Gross, P.M., see Sposito, N.M., 375

Hama, K., see Kosaka, K., 355
Hammang, J.P., see Blakemore, W.F., 361
Haroutunian, V., Mantin, R., Campbell, G.A., Tsuboyama, G.K. and Davis, K.L., Cysteamine-induced depletion of central somatostatin-like immunoreactivity: effects of behavior, learning, memory and brain neurochemistry, 234
Hautamaki, R.D., see O'Malley, C.A., 389
Hayashi, R., Becker, W.J., White, D.G. and Lee, R.G., Effects of ischemic nerve block on the early and late compo-

nents of the stretchreflex in the human forearm, 341
Hendry, I.A., see Duggan, A.W., 345
Henshaw, D., see Reppert, S.M., 398
Herz, A., see Ableitner, A., 82
Hoebel, B.G., see Glimcher, P.W., 147
Hof, P.R., see Magistretti, P.J., 181
Homma, I., see Onimaru, H., 380

Irwin, I., see Ricaurte, G.A., 43

Jackson, W.J., see Rogers, III, O.L., 96
Janáky, T., see Laczi, F., 155
Joëls, M., Van Veldhuizen, M., Urban, I.J.A. and De Kloet, E.R., N-Acetyl-aspartatylglutamate: binding sites and excitatory action in the dorsolateral septum of rats, 192
Johnson, A.K., see Bellin, S.I., 105
Johnson, G.V.W. and Jope, R.S., Aluminum alters cyclic AMP and cyclic GMP levels but not presynaptic cholinergic markers in rat brain in vivo, 1
Jope, R.S., see Johnson, G.V.W., 1

Kass, I.S., see Bendo, A.A., 136
Keefe, D.L., Earnest, D.J., Nelson, D., Takahashi, J.S. and Turek, F.W., A cholinergic antagonist, mecamylamine, blocks the phase-shifting effects of light on the circadian rhythm of locomotor activity in the golden hamster, 308
Kelley, M., see O'Malley, C.A., 389
Kopp, N., see Sakamoto, N., 31
Kosaka, K., Hama, K., Nagatsu, I., Wu, J-Y., Ottersen, O.P., Storm-Mathisen, J. and Kosaka, T., Postnatal development of neurons containing both catecholaminergic and GABAergic traits in the rat main olfactory bulb, 355
Kosaka, K.S., see Kosaka, K., 355
Kosik, K.S., see Galloway, P.G., 337
Kovács, G.L., see Laczi, F., 155
Krueger, J.M., Davenne, D., Walter, J., Shoham, S., Kubillus, S.L., Rosentahl, R.S., Martin, S.A., and Biemann, K., Bacterial peptidoglycans as modulators of sleep. II. Effects of muramyl peptides on the structure of rabbit sleep, 258
Krueger, J.M., Rosenthal, R.S., Martin, S.A., Walter, J., Davenne, D., Shoham, S., Kubillus, S.L. and Biemann, K., Bacterial peptidoglycans as modulators of sleep. I. Anhydro forms of muramyl peptides enhance somnogenic potency, 249
Kubillus, S.L., see Krueger, J.M., 249
Kubillus, S.L., see Krueger, J.M., 258
Kula, N.S., see Campbell, A., 393
Kunz, B., see Spatz, W.B., 158

Laczi, F., Vecsernyés, M., Kovács, G.L., Szabó, G., Janáky, T., Telegdy, G. and László, F.A., Effects of β-endorphin$_{2-9}$ on arginine-8-vasopressin and oxytocin levels in hypothalamic and limbic brain regions, 155
Langston, E., see Ricaurte, G.A., 43
Langston, J.W., see Ricaurte, G.A., 43
Lazoń, W., Przewłocki, R., Single and repeated electroconvulsive shock differentially affects the prodynorphin and proopiomelanocorticin system in the rat, 301
László, F.A., see Laczi, F., 155
Lauterborn, J., see Gall, C., 403
Lee, R.G., see Hayashi, R., 341
Leffler, C.W., see Busija, D.W., 243
Lewis, J., Westerberg, V. and Corcoran, M.E., Monoaminergic correlates of kindling, 205
Liu-Chen, L.-Y., see Saito, K., 66
Liuzzi, F.J. and Miller, R.H., Radially oriented astrocytes in the normal adult rat spinal cord, 385
Loeb, E.P., Chang, F.-L.F. and Greenough, W.T., Effects of neonatal 6-hydroxydopamine treatment upon morphological organization of the posteromedial barrel subfield in mouse somatosensory cortex, 113
Ludens, J.H., see Silvia, R.C., 52

Maciewicz, R., see Chung, R.Y., 172
Magistretti, P.J., Hof, P.R. and Celio, M.R., Noradrenergic sub-sensitivity in the cerebral cortex of the tottering mouse, a spontaneously epileptic mutant, 181
Malenka, R.C., Ayoub, G.S. and Nicoll, R.A., Phorbol esters enhance transmitter release in rat hippocampal slices, 198
Mantin, R., see Haroutunian, V., 234
Markham, J.A., see Scheetz, A.J., 151
Martin, S.A., see Krueger, J.M., 249
Martin, S.A., see Krueger, J.M., 258
Mason, P., see Chung, R.Y., 172
Mauk, M.D. and Thompson, R.F., Retention of classically conditioned eyelid responses following acute decerebration, 89
Meyer, E.M., see O'Malley, C.A., 389
Michel, J.-P.. see Sakamoto, N., 31
Miller, R.H., see Luizzi, F.J., 385
Morales-Ramirez, M., see Calvo, J.M., 22
Morton, C.R., see Duggan, A.W., 345
Moskowitz, M.A., see Saito, K., 66

Nagatsu, I., see Kosaka, K., 355
Nelson, D., see Keefe, D.L., 308
Neumeyer, J.L., see Campbell, A., 393
Nicoll, R.A., see Malenka, R.C., 198

Ogata, N., γ-Aminobutyric acid (GABA) causes consistent depolariztion of neurons in the guinea pig supraoptic nucleus due to an absence of $GABA_B$ recognition sites, 225
Oku, R., Satoh, M., Fujii, N., Otaka, A., Yajima, H. and Takagi, H., Calcitonin gene-related peptide promotes mechanical nociception by potentiating release of substance P from the spinal dorsal horn in rats, 350
O'Malley, C.A., Hautamaki, R.D., Kelley, M. and Meyer, E.M., Effects of ovariectomy and estradiol benzoate on high affinity choline uptake, ACh synthesis, and release from rat cerebral cortical synaptosomes, 389
Onimaru, H. and Homma, I., Respiratory rhythm generator neurons in medulla of brainstem–spinal cord preparation from newborn rat, 380
Otaka, A., see Oku, R., 350
Ottersen, O.P., see Kosaka, K., 355
Owman, C., see Sahlin, C., 313

Palacios-Salas, P., see Calvo, J.M., 22
Pavey, G.M., see Willis, G.L., 15
Pearson, J., see Sakamoto, N., 31
Perry, G., see Galloway, P.G., 337
Pettorossi, V.E., Errico, P., Ferraresi, A. and Fedeli, R., Vestibularcontribution to the orientation of cervico-ocular reflex in rabbit, 58
Pittam, B.S., Burnstock, G. and Purves, R.D., Urinary bladder intramural neurones: an electrophysiological study utilizing a tissue culture preparation, 267
Przewłocki, B., see Lason, W., 301

Przewłocki, R., see Lason, W., 301
Purves, R.D., see Pittam, B.S., 267

Radulovacki, M., see Yanik, G., 177
Raizada, M.K., see Bottiglieri, D.F., 167
Ram, V.J., see Campbell, A., 393
Ramirez, R.D., see Batini, C., 186
Reppert, S.M., Henshaw, D., Schwartz, W.J. and Weaver, D.R., The circadian-gated timing of birth in rats: disruption by maternal SCN lesions or by removal of the fetal brain, 398
Ricaurte, G.A., Irwin, I., Forno, L.S., DeLanney, L.E., Langston, E. and Langston, J.W., Aging and 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine-induced degeneration of dopaminergic neurons in the substantia nigra, 43
Rivot, J.P., Calvino, B. and Besson, J.M., Is there a serotonergic tonic descending inhibition on the responses of dorsal horn convergent neurons to C-fibre inputs?, 142
Roeder, L.M., see Tildon, J.T., 127
Rogers III, O.L. and Jackson, W.J., The effect of hypophysectomy, ACTH fragments and thalamic lesions upon kindled epilepsy, 96
Rosenthal, R.S., see Krueger, J.M., 249
Rosenthal, R.S., see Krueger, J.M., 258
Rouzaire-Dubois, B. and Scarnati, E., Increase in glutamate sensitivity of subthalamic nucleus neurons following bilateral decortication: a microiontophoretic study in the rat, 366

Sahlin, C., Brismar, J., Delgado, T., Owman, C., Salford, L.G. and Svendgaard, N.-A., Cerebrovascular and metabolic changes during the delayed vasospasm following experimental subarachnoid hemorrhage in baboons, and treatment with a calcium antagonist, 313
Saito, K., Liu-Chen, L.-Y. and Koskowitz, M.A., Substance P-like immunoreactivity in rat forebrain leptomeninges and cerebral vessels originates from the trigeminal but not sympathetic ganglia, 66
Sakamoto, N., Michel, J.-P., Kopp, N. and Pearson, J., Neurotensin immunoreactive neurons in the human infant diencephalon, 31
Salford, L.G., see Sahlin, C., 313
Sandeman, D.C., see Sandeman, R.E., 371
Sandeman, R.E. and Sandeman, D.C., Serotonin-like immunoreactivity of giant olfactory interneurons in the crayfish brain, 371
Satoh, M., see Oku, R., 350
Sawchenko, P.E., Evidence for a local site of action for glucorticoids in inhibiting CRF and vasopressin expression in the paraventricular nucleus, 213
Scarnati, E., see Rouzaire-Dubois, B., 366
Scheetz, A.J., Markham, J.A. and Fifková, E., Changes in the frequency of basket cells in the dentate fascia following chronic ethanol administration in mice, 151
Schneiderman, J.H., 'Slow' field potentials in penicillin-perfused hippocampal slices, 162
Schwartz, W.J., see Reppert, S.M., 398
Seiden, L.S., see Commins, D.L., 7
Seroogy, K., see Gall, C., 403
Shoham, S., see Krueger, J.M., 249
Shoham, S., see Krueger, J.M., 258
Shucard, D.W., see Church, M.W., 72
Silvia, R.C., Slizgi, G.R., Ludens, J.H., and Tang, A.H., Protection from ischemia-induced cerebral edema in the rat by U-50488H, a kappa opioid receptor agonist, 52
Sleeman, M., see Willis, G.L., 15
Slizgi, G.r., see Silvia, R.C., 52
Smith, G.C., see Willis, G.L., 15
Spatz, W.B., Kunz, B. and Steffen, H., A new heterotopic callosal projection of primary visual cortex in the monkey, *Callithrix jacchus*, 158
Sposito, N.M. and Gross, P.M., Morphometry of individual capillary beds in the hypothalamo-neurohypophysial system of rats, 375
Steffen, H., see Spatz, W.B., 158
Stevenson, J.H., see Tildon, J.T., 127
Storm-Mathisen, J., see Kosaka, K., 355
Strassman, A., see Chung, R.Y., 172
Sumners, C., see Bottiglieri, D.F., 167
Sved, A.F., see Catelli, J.M., 279
Svengaard, N.-A., see Sahlin, C., 313
Szabó, G., see Laczi, F., 155

Takagi, T., see Sugaya, E., 333
Takahashi, J.S., see Keefe, D.L., 308
Tang, A.H., see Silvia, R.C., 52
Telegdy, G., see Laczi, F., 155
Thompson, R.F., see Mauk, M.D., 89
Tildon, J.T., Stevenson, J.H. and Roeder, L.M., Serum effects on substrate oxidation by dissociated brain cells: possible sites of action, 127
Tsuboyama, G.K., see Haroutunian, V., 234
Turek, F.W., see Keefe, D.L., 308

Urban, I.J.A., see Joëls, M., 192

Van Veldhuizen, M., see Joëls, M., 192
Vecsernyés, M., see Laczi, F., 155
Vosmer, G., see Commins, D.L., 7

Walter, J., see Krueger, J.M., 249
Walter, J., see Krueger, J.M., 258
Weaver, D.R., see Reppert, S.M., 398
Westerberg, V., see Lewis, J., 205
White, D.G., see Hayashi, R., 341
White, G.L., Sleeman, M., Pavey, G.M. and Smith, G.C., Further studies on the neurochemical specificity of 6-hydroxydopamine as compared to radiofrequency lesions, 15
Wu, J.-Y., see Kosaka, K., 355

Yajima, H., see Oku, R., 350
Yanik, G., Glaum, S. and Radulovacki, M., The dose-response effects of caffeine on sleep in rats, 177

Zhao, Z.Q., see Duggan, A.W., 345